

**NOTICE OF PUBLIC HEARING CONCERNING THE INTENT OF  
THE CITY COUNCIL OF THE CITY OF TAYLORVILLE,  
CHRISTIAN COUNTY, ILLINOIS,  
TO SELL \$3,000,000 GENERAL OBLIGATION BONDS  
(ALTERNATE REVENUE SOURCE)**

PUBLIC NOTICE IS HEREBY GIVEN that the City of Taylorville, Christian County, Illinois (the "*City*"), will hold a public hearing on the 9th day of September, 2015, at 6:45 o'clock P.M. The hearing will be held at the City Council Chambers, 115 North Main Street, Taylorville, Illinois. The purpose of the hearing will be to receive public comments on the proposal to sell alternate bonds of the City in the amount of \$3,000,000 for the purpose of financing sewer system improvements, including, but not limited to, necessary improvements and additions to the northeast sewer line of the City and for the payment of the expenses incident thereto.

By order of the Mayor of the City of Taylorville, Christian County, Illinois.

DATED the 5th day of August, 2015.

Pam Peabody  
City Clerk  
City of Taylorville, Christian County, Illinois

## **Instructions for Publishing the Notice of Public Hearing**

The attached notice should appear once in the **Legal/Classified** section of the **Breeze-Courier by September 2nd.** There is no minimum type size requirement so it should be published in the regular type used in the Legal/Classified section.

Please ask the paper to fax us a proof at (309) 827-2171 or email to [janet@firstmidstate.com](mailto:janet@firstmidstate.com) prior to publication. We would like to have 3 hours minimum to proof and call back with corrections if needed. **Would you please mail three certificates of publication after the notice is published.** Our mailing address is First Midstate, Inc., P.O. Box 3367, Bloomington, Illinois 61702-3367.

Please send the bill for publication to the City.

Please review the notice carefully verifying that all of the information is correct, especially the date, time and location of the Hearing. Also please double **check the name of the City Clerk to verify the name is correct and current.**